



sales1@sakuraelevator.co.id

COMPANY PROFILE & PRODUCT INTRODUCTION

PT. SAKURA ELEVATOR INDONESIA CORP

SHOW ROOM - Jl. Boulevard Gading Serpong Ruko Psr. Modern Paramount Blok C No.1, Banten Tanggerang. JAKARTA OFFICE - Gedung Metro Sunter Lt 3, Jalan Danau Sunter Utara Blok 2A. Jakarta Utara - Indonesia







Sakura Elevator is a professional manufacturer of high quality elevators. To produce high quality elevators, we abide by the philosophies of, "Technical Leadership, Excellent Quality, and Service First". We have expanded our factory gradually to ensure sufficient production capacity. The scale of our new factory is comparable and even exceeds that of major international manufacturers.

Our product line encompasses various typed of elevators, including *Home elevators, Passenger elevators, Observation elevators, Hospital elevators, Car elevators, Parking facilities and more.* All of our products are the culmination of craftsmanship, technology, and aesthetics. The four major departments in our company, the R&D design, Manufacturing, Marketing and Sales, and Accounting departments all work together to transform enclosed spaces into the safest, most comfortable vertical transportation products for our clients.

Hence, to uphold international quality as our Standard, such as the *Middle East*, Saudi Arabia, SASO Certificate, Singapore, the structure identified, And Taiwan, China and many other types of Certification.

AND IS IS VANCED IN NAMED AND

















GLOBAL CERTIFICATION

Sakura elevators has undergoes rigorous quality control and won numbers of international quality recognition, such as the European CE certification (elevator machine) which received since 2009. Sakura also received the UCMP certification from Japan government, Hong Kong Elevator system Certification and many other International certifications. With these broad certifications, Sakura has expand its operations into markets worldwide, ranging from Japan, North America, Europe, and China to newly emerging markets, including those elsewhere in Asia. By satisfying the needs of each market. Sakura will continue to provide and create value for its customers









GERMAN TUV GRADE A

EFFICIENCY ENERGY







EUROPE CE

CERTIFICATE















QUALITY CONTROL & PRODUCTION MANAGEMENT MEETING



JAPANESE GOVERNMENT SAFETY TEST AND MEETING

Inspection—ZERO DEFECT TARGET

We conduct various inspections and record at each process based on rigorous criteria such as material/semi-finished product acceptance inspections, process inspections, and product inspections before shipments. In addition, we send the reports to our clients and verify the products with them.

Quality Improvement

Regarding defects caused in productions and any quality issues, we will implement prevention methods and provide reports to analyze the problems. We can't endure the same mistake happening again.







JAPAN Safety Certificate



HONGKONG EMSD



SINGAPORE SINGAPORE Safety Certificate Structure Certificate









EXCELLENT SERVICES AND MAINTENANCE

Backed with the first-class technologies, rich management experiences and superior service, SAKURA elevator provides scientifically maintain and strict quality control for the users of our products. Choosing SAKURA elevator is same as selecting a complete set of service system.

The company pursues the enterprise tenet of "Customer focus", sets up a powerful and professional installation team, a nationwide network of after-sale service and a spare parts supply system, and provides the customers with EXCELLENT "zero-distance and all-weather" service. So that every passenger who purchase **SAKURA** Elevator can have an ease and pleasant "Ride"!















24 HOURS CALL CENTRE (JAPAN & TAIWAN REGION)



AFTER SALES SERVICES

Backed with the first-class technologies, rich management experiences and superior service, Our elevator provides scientifically maintain and strict quality control for the users of our products. Choosing Our elevator is same as selecting a complete set of service system. The company pursues the enterprise tenet of "Customer focus", sets up a powerful and professional installation team, a nationwide network of after-sale service and a spare parts supply system, and provides the customers with EXCELLENT "zero-distance and all-weather* service. So that every passenger who purchase Our Elevator can have an ease and pleasant "Ride"!






* Location of traction machine varies from design and customer's request.











ТҮРЕ	CAPA CITY	SPEED	DOOR OPEN	ENTR DIME:	ANCE	CAR INTERIOR DIMENSION			HOISTWAY				MACHINE ROOM	
	(Kgs.)	m/min	mm	IJ	НН	AA	BB	HC	X	Y	PIT	OH	AM	BM
F Steel cable type	500	20-60	28	1200	2100	1500	1200	2300	2250	1800	1400mm for speed below 45m/min 1500mm for upon 60m/min	4450mm for speed below 45m/min 4850mm for upon 60m/min	3350	2900
	600	20-60	28	1100	2100	1350	1750	2300	2200	2400			3150	3800
	750	20-60	28	1200	2100	1550	2000	2300	2300	2600			3350	4000
	1000	20-60	28	1500	2100	1800	2200	2300	2700	2800			3600	4600
	1500	20-60	38	2300	2300	2300	2500	2300	3500	3100			4000	4500
	1500	20-60	2U	2300	2300	2300	2500	2300	3250	3100			4000	4500
	2000	20-60	38	2300	2300	2300	3400	2300	3500	4000			5000	5500
	2000	20-60	2U	2300	2300	2300	3400	2300	3250	4000			5000	5500
	3000	20-45	200	2800	2500	2800	3700	2500	4550	4250	1500	4850	5500	6500
	3000	20-45	3U	2800	2500	2800	3700	2500	3800	4400	1500	4850	5500	6500
	4000	20-45	200	2800	2500	2800	4300	2500	4550	4850	1500	4950	6000	7000
	4000	20-45	3U	2800	2500	2800	4300	2500	3850	5000	1500	4950	6000	7000
	5000	20-45	200	2800	2500	2800	5500	2500	4550	6050	1600	4950	6500	7500
	5000	20-45	3U	2800	2500	2800	5500	2500	3900	6200	1600	4950	6500	7500
F Indirect hydraulic type	500	15-45	28	1200	2100	1500	1200	2300	2300	1800	1600	3750	3200	2500
	600	15-45	25	1100	2100	1350	1750	2300	2150	2400	1500	3750	3200	2500
	750	15-45	28	1200	2100	1500	2000	2300	2300	2600	1500	3750	3200	2500
	1000	15-45	28	1500	2100	1800	2200	2300	2750	2800	1500	3750	3200	2500
	1500	15-45	38	2300	2300	2300	2500	2300	3600	3100	1550	3800	3300	2500
	1500	15-45	2U	2300	2300	2300	2500	2300	3400	3100	1550	4400	3300	2500
	2000	15-45	3S	2300	2300	2300	3400	2300	3600	4000	1600	3800	3300	2500
	2000	15-45	2U	2300	2300	2300	3400	2300	3400	4000	1600	4400	3300	2500
	3000	15-30	200	2800	2500	2800	3700	2500	4550	4250	1800	4750	3500	2600
	3000	15-30	3U	2800	2500	2800	3700	2500	3900	4400	1800	4750	3500	2600
	4000	15-30	2CO	2800	2500	2800	4300	2500	4550	4850	1800	4750	3500	2600
	4000	15-30	3U	2800	2500	2800	4300	2500	3950	5000	1800	4750	3500	2600
	5000	15-30	200	2800	2500	2800	5500	2500	4550	6050	1850	4900	3500	2600
	5000	15-30	3U	2800	2500	2800	5500	2500	4150	6200	1850	4900	3500	2600

^{**} Please contact the Sales Department for Cargo Lift drawings

^{**} The specification and dimension above are standard type.

^{**} Cargo Lift which uses EML or EMS design, Please contact sales dept. for custom design & specification.













Freight Elevator 3 Unit at Singapore











